NUNN DESIGN®
Jumpring and Chain Cheatsheet
www.nunndesign.com

NUNN DESIGN JUMP RING CHEAT SHEET

We are always looking to find ways to make designing with Nunn Design product easier. This Nunn Design Downloadable Cheat Sheet covers all of the various jump rings that Nunn Design offers and a chart showing what the jump rings look like when they are attached to the Nunn Design Chain.

The Nunn Design Chain is available in 10, 12.5, and 25 feet increments, but length may not be continuous. Variety of countries of origin. All chain is plated in the USA with imported precious metals; copper, 24k gold or .999 fine silver.

Nunn Design Jump rings are sold in quantities that vary from 10, 25, 50 to 125 pieces per package depending on the size. All of the jump rings are made in the USA from various gauges of brass wire and are plated with copper, 24k gold or .999 fine silver.

A. Small Jumprings (jr)
pack of 125
OD: 4.5mm, ID: 3mm
Wire Gauge: 21 gauge

B. Jumprings Small Thick (jrst)
pack of 50
OD: 5.4mm, ID: 3.2mm
Wire Gauge: 16 gauge

C. Large Jumprings (ljr)
pack of 50
OD: 8.6mm, ID: 5.8mm
Wire Gauge: 16 gauge

D. Jumpring Grande Circle (jrgc)
pack of 50
OD: 12.5mm, ID: 10mm
Wire Gauge: 16 gauge

E. Jumpring 6mm Textured Oval (jr6to)
pack of 50
OD: 6.3 x 4.8mm,
ID: 4 x 2.5mm
Wire Gauge: 16 gauge

F. Jumpring 9mm Textured Oval (jr9to)
pack of 50
OD: 9 x 6mm, ID: 7 x 4mm
Wire Gauge: 17 gauge

G. Jumpring 5mm Textured Circle (jr5tc)
pack of 50
OD: 5.2mm, ID: 3.3mm
Wire Gauge: 18 gauge

H. Jumpring 5mm Patterned Circle (jr5pc)
pack of 50
OD: 5mm Dia, ID: 3 Dia
Wire Gauge: 18 gauge

I. Jumpring 6mm Textured Circle (jr6tc)
pack of 50
OD: 6mm, ID: 3.8mm
Wire Gauge: 16 gauge

J. Jump Ring 6mm Bark Circle (jr6bc)
pack of 50
OD: 6.3 Dia x 1.2mm
ID: 4 Dia x 1.2mm
Wire Gauge: 16 gauge

K. Jumpring 7mm Patterned Circle (jr7pc)
pack of 50
OD: 7mm Dia
ID: 4.4mm Dia
Wire Gauge: 16 gauge

L. Jumpring 9mm Textured Circle (jr9tc)
pack of 50
OD: 9mm, ID: 6mm
Wire Gauge: 16 gauge

M. Jumpring 9mm Patterned Circle (jr9pc)
pack of 50
OD: 9mm Dia,
ID: 6mm Dia
Wire Gauge: 16 gauge

N. Jumpring 12mm Textured Circle (jr12tc)
pack of 10
OD: 12mm, ID: 9mm
Wire Gauge: 16 gauge

O. Jump Ring 12mm Bark Circle (jr12bc)
pack of 10
OD: 11.8 Dia x 2mm
ID: 7.8 Dia x 2mm
Wire Gauge: 12 gauge

P. Jump Ring 10mm Hammered Edge Circle (jr10hec)
pack of 10
OD: 10.2 x 1.5mm
ID: 8.5 Dia x 1.5mm
Wire Gauge: 14 gauge

Q. Jumpring 12mm Square Wire Circle (jr12swc)
pack of 25
OD: 12mm Dia
ID: 10mm Dia
Wire Gauge: 16 gauge

R. Jump Ring 12mm Square Wire Hammered Circle (jr12swhc)
pack of 10
OD: 12.5 Dia x 1.5mm
ID: 10.5 Dia x 1.5mm
Wire Gauge: 14 gauge

S. Jumpring Mini Rope (jrmr)
pack of 25
OD: 7.5mm, ID: 5mm
Wire Gauge: 16 gauge

T. Jumpring Large Rope (jrlr)
pack of 10
OD: 11.3mm, ID: 8mm
Wire Gauge: 14 gauge

U. Jumpring Grande Rope (jrgr)
pack of 10
OD: 16.8mm
ID: 13.5mm
Wire Gauge: 14 gauge

NUNN DESIGN JUMP RING CHEAT SHEET

DELICATE LINK CABLE CHAIN

dlcc-cb • dlcc-gb • dlcc-sb • dlcc-ssb

Delicate Link Cable Chain is a brass base chain, sold in a 25' spool and plated using pure copper, 24k gold, or .999 fine silver. The links on this chain are soldered.

Base Material: Brass
Length: 25 feet (spooled on a card)
Link Size: 2.5 x 2mm link
Links: Soldered closed

jrc-b • jrg-b
jrs-b • jrss-b

SMALL DELICATE CABLE CHAIN

sdcc-cb • sdcc-gb • sdcc-sb • sdcc-ssb

Small Delicate Cable Chain is one of the Nunn Design top sellers. This brass base chain is sold in a 25' spool and plated using pure copper, 24k gold, or .999 fine silver. The links are soldered closed providing a bit of extra security.

Base Material: Brass
Length: 25 feet (spooled on a card)
Link Size: 3 x 1.5mm link
Links: Soldered closed

jrc-b • jrg-b
jrs-b • jrss-b

jr5tc-cb • jr5tc-gb
jr5tc-sb • jr5tc-ssb

jr5pc-cb • jr5pc-gb
jr5pc-sb • jr5pc-ssb

SMALL FINE CABLE CHAIN

sfcc-cb • sfcc-gb • sfcc-sb • sfcc-ssb

Small Fine Cable Chain is also one of the Nunn Design top sellers. This brass base chain is sold in a 25' spool and is plated using pure copper, 24k gold, or .999 fine silver. The links are not soldered. Open and close the links as much as you like!

Base Material: Brass
Length: 25 feet (spooled on a card)
Link Size: 4 x 3mm link
Links: Open, not soldered

jrc-b • jrg-b
jrs-b • jrss-b

jr5tc-cb • jr5tc-gb
jr5tc-sb • jr5tc-ssb

jr5pc-cb • jr5pc-gb
jr5pc-sb • jr5pc-ssb

jr6to-cb • jr6to-gb
jr6to-sb • jr6to-ssb

NUNN DESIGN JUMP RING CHEAT SHEET

FINE TEXTURE CABLE CHAIN

ftcc-cb, ftcc-gb, ftcc-sb, ftcc-ssb

Fine Textured Cable Chain is one of the Nunn Design top selling chains. This brass base chain is sold in a 25' spool and is plated using pure copper, 24k gold, or .999 fine silver. The links are soldered closed for added security.

Base Material: Brass
Length: 25 feet (spooled on a card)
Link Size: 3 × 1.5 mm
Links: Soldered closed

jrc-b • jrg-b
jrs-b • jrss-b

jrst-cb • jrst-gb
jrst-sb • jrst-ssb

ljrc-b • ljrg-b
ljrs-b • ljrss-b

jrgc-cb • jrgc-gb
jrgc-sb • jrgc-ssb

jr5tc-cb • jr5tc-gb
jr5tc-sb • jr5tc-ssb

jr6tc-cb • jr6tc-gb
jr6tc-sb • jr6tc-ssb

jr5pc-cb • jr5pc-gb
jr5pc-sb • jr5pc-ssb

jr7pc-cb • jr7pc-gb
jr7pc-sb • jr79c-ssb

jr9pc-cb • jr9pc-gb
jr9pc-sb • jr9pc-ssb

jr9tc-cb • jr9tc-gb
jr9tc-sb • jr9tc-ssb

jr12tc-cb • jr12tc-gb
jr12tc-sb • jr12tc-ssb

jr6bc-cb • jr6bc-gb
jr6bc-sb • jr6bc-ssb

jr6to-cb • jr6to-gb
jr6to-sb • jr6to-ssb

jr9to-cb • jr9to-gb
jr9to-sb • jr9to-ssb

jrmr-cb • jrmr-gb
jrmr-sb • jrmr-ssb

jr12swc-cb • jr12swc-gb
jr12swc-sb • jr12swc-ssb

jr12swhc-cb • jr12swhc-gb
jr12swhc-sb • jr12swhc-ssb

JUMPRINGS THAT FIT

- ☑ jrs-b | Jumpring Small
- ☑ jrst | Jumpring Small Thick
- ☑ ljrs-b | Large Jumpring
- ☑ jrgc | Jumpring Grande Circle
- ☑ **jr5pc | Jumpring 5mm Patterned Circle *NEW***
- ☑ jr5tc | Jumpring 5mm Text Circle (Retiring)
- ☑ jr6tc | Jumpring 6mm Text Circle (Retiring)
- ☑ **jr7pc | Jumpring 7mm Patterned Circle *NEW***
- ☑ **jr9pc | Jumpring 9mm Patterned Circle *NEW***
- ☑ jr9tc | Jumpring 9mm Text Circle (Retiring)
- ☑ jr12tc | Jumpring 12mm Text Circle
- ☑ jr6bc | Jumpring 6mm Bark Circle
- ☐ ~~jr12bc | Jumpring 12mm Bark Circle~~
- ☑ jr6to | Jumpring 6mm Text Oval
- ☑ jr9to | Jumpring 9mm Text Oval
- ☑ jrmr | Jumpring Mini Rope
- ☐ ~~jrlr | Jumpring Large Rope~~
- ☐ ~~jrgr | Jumpring Grande Rope~~
- ☐ ~~jr10hec | Jumpring 10mm Hamm Edge Cir~~
- ☑ jr12swc | Jumpring 12mm Square Wire Cir
- ☑ jr12swhc | Jumpring 12mm Sq Wire Hamm Cir

jr5pc-cb • jr5pc-gb
jr5pc-sb • jr5pc-ssb

jr7pc-cb • jr7pc-gb
jr7pc-sb • jr7pc-ssb

jr9pc-cb • jr9pc-gb
jr9pc-sb • jr9pc-ssb

NUNN DESIGN JUMP RING CHEAT SHEET

SMALL HAMMERED FLAT CABLE CHAIN

shfc-cb • shfc-gb • shfc-sb • shfc-ssb

Small Hammered Flat Cable Chain is a brass base chain that is sold in a 12.5 foot length and is plated using pure copper, 24k gold, or .999 fine silver. The links are not soldered allowing you to open and close the links!

Base Material: Brass
Length: 12.5 feet (in a zip bag)
OD: 4 x 3.5mm link
Links: Open, unsoldered links



JUMPRINGS THAT FIT

- ☑ jrs-b | Jumpring Small
- ☑ jrst | Jumpring Small Thick
- ☑ ljrs-b | Large Jumpring
- ☑ jrgc | Jumpring Grande Circle
- ☑ **jr5pc | Jumpring 5mm Patterned Circle *NEW***
- ☑ jr5tc | Jumpring 5mm Text Circle (Retiring)
- ☑ jr6tc | Jumpring 6mm Text Circle (Retiring)
- ☑ **jr7pc | Jumpring 7mm Patterned Circle *NEW***
- ☑ **jr9pc | Jumpring 9mm Patterned Circle *NEW***
- ☑ jr9tc | Jumpring 9mm Text Circle (Retiring)
- ☑ jr12tc | Jumpring 12mm Text Circle
- ☑ jr6bc | Jumpring 6mm Bark Circle
- ☐ ~~jr12bc | Jumpring 12mm Bark Circle~~
- ☑ jr6to | Jumpring 6mm Text Oval
- ☑ jr9to | Jumpring 9mm Text Oval
- ☑ jrmr | Jumpring Mini Rope
- ☐ ~~jrlr | Jumpring Large Rope~~
- ☐ ~~jrgr | Jumpring Grande Rope~~
- ☑ jr10hec | Jumpring 10mm Hamm Edge Cir
- ☑ jr12swc | Jumpring 12mm Square Wire Cir
- ☑ jr12swhc | Jumpring 12mm Sq Wire Hamm Cir

NUNN DESIGN JUMP RING CHEAT SHEET

SMALL TEXTURED CABLE CHAIN

stcc-cb • stcc-gb • stcc-sb • stcc-ssb

Small Textured Cable Chain is one of the Nunn Design top sellers. This brass base chain is sold in a 25' spool and is plated using pure copper, 24k gold, or .999 fine silver. The links are not soldered giving you the freedom to open and close the links.

Base: Plated Brass
Length: 12.5 feet (in a zip bag)
OD: 5 x 4mm link
Links: Open, unsoldered links

jrc-b • jrg-b
jrs-b • jrss-b

jrst-cb • jrst-gb
jrst-sb • jrst-ssb

ljrc-b • ljrg-b
ljrs-b • ljrss-b

jrgc-cb • jrgc-gb
jrgc-sb • jrgc-ssb

jr5tc-cb • jr5tc-gb
jr5tc-sb • jr5tc-ssb

jr6tc-cb • jr6tc-gb
jr6tc-sb • jr6tc-ssb

jr9tc-cb • jr9tc-gb
jr9tc-sb • jr9tc-ssb

jr12tc-cb • jr12tc-gb
jr12tc-sb • jr12tc-ssb

jr6to-cb • jr6to-gb
jr6to-sb • jr6to-ssb

jr9to-cb • jr9to-gb
jr9to-sb • jr9to-ssb

jr6bc-cb • jr6bc-gb
jr6bc-sb • jr6bc-ssb

jr12bc-cb • jr12bc-gb
jr12bc-sb • jr12bc-ssb

jrmr-cb • jrmr-gb
jrmr-sb • jrmr-ssb

jrlr-cb • jrlr-gb
jrlr-sb • jrlr-ssb

jrgr-cb • jrgr-gb
jrgr-sb • jrgr-ssb

jr10hec-cb • jr10hec-gb
jr10hec-sb • jr10hec-ssb

jr12swc-cb • jr12swc-gb
jr12swc-sb • jr12swc-ssb

jr12swhc-cb • jr12swhc-gb
jr12swhc-sb • jr12swhc-ssb

JUMPRINGS THAT FIT

- ☑ jrs-b | Jumpring Small
- ☑ jrst | Jumpring Small Thick
- ☑ ljrs-b | Large Jumpring
- ☑ jrgc | Jumpring Grande Circle
- ☑ **jr5pc | Jumpring 5mm Patterned Circle *NEW***
- ☑ jr5tc | Jumpring 5mm Text Circle (Retiring)
- ☑ jr6tc | Jumpring 6mm Text Circle (Retiring)
- ☑ **jr7pc | Jumpring 7mm Patterned Circle *NEW***
- ☑ **jr9pc | Jumpring 9mm Patterned Circle *NEW***
- ☑ jr9tc | Jumpring 9mm Text Circle (Retiring)
- ☑ jr12tc | Jumpring 12mm Text Circle
- ☑ jr6bc | Jumpring 6mm Bark Circle
- ☑ jr12bc | Jumpring 12mm Bark Circle
- ☑ jr6to | Jumpring 6mm Text Oval
- ☑ jr9to | Jumpring 9mm Text Oval
- ☑ jrmr | Jumpring Mini Rope
- ☑ jrlr | Jumpring Large Rope
- ☑ jrgr | Jumpring Grande Rope
- ☑ jr10hec | Jumpring 10mm Hamm Edge Cir
- ☑ jr12swc | Jumpring 12mm Square Wire Cir
- ☑ jr12swhc | Jumpring 12mm Sq Wire Hamm Cir

jr5pc-cb • jr5pc-gb
jr5pc-sb • jr5pc-ssb

jr7pc-cb • jr7pc-gb
jr7pc-sb • jr7pc-ssb

jr9pc-cb • jr9pc-gb
jr9pc-sb • jr9pc-ssb

NUNN DESIGN JUMP RING CHEAT SHEET

LARGE OVAL LINK CHAIN

lolc-cb • lolc-gb • lolc-sb • lolc-ssb

Large Oval Link Chain is a brass base chain that is sold in a 10' feet length and is plated using pure copper, 24k gold, or .999 fine silver. The links are soldered closed. The Large Oval Link Chain is one of the Nunn Design Team Favorites.

Base: Plated Brass
Length: 10 feet (in a zip bag)
OD: 10 x 4mm link
Links: Soldered closed

JUMPRINGS THAT FIT

- ☑ jrs-b | Jumpring Small
- ☑ jrst | Jumpring Small Thick
- ☑ ljrs-b | Large Jumpring
- ☑ jrgc | Jumpring Grande Circle
- ☑ **jr5pc | Jumpring 5mm Patterned Circle *NEW***
- ☑ jr5tc | Jumpring 5mm Text Circle (Retiring)
- ☑ jr6tc | Jumpring 6mm Text Circle (Retiring)
- ☑ **jr7pc | Jumpring 7mm Patterned Circle *NEW***
- ☑ **jr9pc | Jumpring 9mm Patterned Circle *NEW***
- ☑ jr9tc | Jumpring 9mm Text Circle (Retiring)
- ☑ jr12tc | Jumpring 12mm Text Circle
- ☑ jr6bc | Jumpring 6mm Bark Circle
- ☑ jr12bc | Jumpring 12mm Bark Circle
- ☑ jr6to | Jumpring 6mm Text Oval
- ☑ jr9to | Jumpring 9mm Text Oval
- ☑ jrmr | Jumpring Mini Rope
- ☑ jrlr | Jumpring Large Rope
- ☑ jrgr | Jumpring Grande Rope
- ☑ jr10hec | Jumpring 10mm Hamm Edge Cir
- ☑ jr12swc | Jumpring 12mm Square Wire Cir
- ☑ jr12swhc | Jumpring 12mm Sq Wire Hamm Cir



NUNN DESIGN JUMP RING CHEAT SHEET

LARGE TEXTURED CABLE CHAIN

ltcc-cb • ltcc-gb • ltcc-sb • ltcc-ssb

Large Textured Cable Chain is a brass base chain plated using pure copper, 24k gold, or .999 fine silver. The links are not soldered closed allowing you to open and close the links (which make great jumprings too!)

Base: Plated Brass
Length: 12.5 feet (in a zip bag)
OD: 9 x 6mm link
Links: Open, unsoldered links

jrc-b • jrg-b
jrs-b • jrss-b

jrst-cb • jrst-gb
jrst-sb • jrst-ssb

ljrc-b • ljrg-b
ljrs-b • ljrss-b

jrgc-cb • jrgc-gb
jrgc-sb • jrgc-ssb

jr5tc-cb • jr5tc-gb
jr5tc-sb • jr5tc-ssb

jr6tc-cb • jr6tc-gb
jr6tc-sb • jr6tc-ssb

jr9tc-cb • jr9tc-gb
jr9tc-sb • jr9tc-ssb

jr12tc-cb • jr12tc-gb
jr12tc-sb • jr12tc-ssb

jr6to-cb • jr6to-gb
jr6to-sb • jr6to-ssb

jr9to-cb • jr9to-gb
jr9to-sb • jr9to-ssb

jrmr-cb • jrmr-gb
jrmr-sb • jrmr-ssb

jrlr-cb • jrlr-gb
jrlr-sb • jrlr-ssb

jrgr-cb • jrgr-gb
jrgr-sb • jrgr-ssb

jr6bc-cb • jr6bc-gb
jr6bc-sb • jr6bc-ssb

jr12bc-cb • jr12bc-gb
jr12bc-sb • jr12bc-ssb

jr10hec-cb • jr10hec-gb
jr10hec-sb • jr10hec-ssb

jr12swc-cb • jr12swc-gb
jr12swc-sb • jr12swc-ssb

jr12swhc-cb • jr12swhc-gb
jr12swhc-sb • jr12swhc-ssb

JUMPRINGS THAT FIT

- ☑ jrs-b | Jumpring Small
- ☑ jrst | Jumpring Small Thick
- ☑ ljrs-b | Large Jumpring
- ☑ jrgc | Jumpring Grande Circle
- ☑ **jr5pc | Jumpring 5mm Patterned Circle *NEW***
- ☑ jr5tc | Jumpring 5mm Text Circle (Retiring)
- ☑ jr6tc | Jumpring 6mm Text Circle (Retiring)
- ☑ **jr7pc | Jumpring 7mm Patterned Circle *NEW***
- ☑ **jr9pc | Jumpring 9mm Patterned Circle *NEW***
- ☑ jr9tc | Jumpring 9mm Text Circle (Retiring)
- ☑ jr12tc | Jumpring 12mm Text Circle
- ☑ jr6bc | Jumpring 6mm Bark Circle
- ☑ jr12bc | Jumpring 12mm Bark Circle
- ☑ jr6to | Jumpring 6mm Text Oval
- ☑ jr9to | Jumpring 9mm Text Oval
- ☑ jrmr | Jumpring Mini Rope
- ☑ jrlr | Jumpring Large Rope
- ☑ jrgr | Jumpring Grande Rope
- ☑ jr10hec | Jumpring 10mm Hamm Edge Cir
- ☑ jr12swc | Jumpring 12mm Square Wire Cir
- ☑ jr12swhc | Jumpring 12mm Sq Wire Hamm Cir

jr5pc-cb • jr5pc-gb
jr5pc-sb • jr5pc-ssb

jr7pc-cb • jr7pc-gb
jr7pc-sb • jr7pc-ssb

jr9pc-cb • jr9pc-gb
jr9pc-sb • jr9pc-ssb

NUNN DESIGN JUMP RING CHEAT SHEET

SATELLITE 2MM BEAD CHAIN

s2bc-cb • s2bc-gb • s2bc-sb • s2bc-ssb

Satellite 2mm Bead Chain is brass and plated using copper, 24k gold and .999 fine silver. The 2mm bead spacers are separated 11.5mm apart with a fine cable chain. Country of Origin: Sri Lanka. You will need to finish the ends of your chain with a Nunn Design **Ball Chain Crimp Connector**. When cutting the chain to add the Crimp Connector, cut at least 1/8 inch after the bead spacer to ensure the bead does not slip off.

Base: Plated Brass
Length: 25 feet (spooled on a card)
OD: 2mm bead spaced 11.5mm apart

BALL CHAIN CRIMP CONNECTOR
bccc-cb • bccc-gb • bccc-sb • bccc-ssb

Base: Plated Brass
OD: 7.3 x 3.7 x 3.3mm
Fits 1.2mm, 1.8mm, 2.4mm balls and bead chain (bc, bcs, fbc, fbcf, s2bc), Hole Size: 2mm



JUMPRINGS THAT FIT

- ☑ jrs-b | Jumpring Small
- ☑ jrst | Jumpring Small Thick
- ☑ ljrs-b | Large Jumpring
- ☑ jrgc | Jumpring Grande Circle
- ☑ **jr5pc | Jumpring 5mm Patterned Circle *NEW***
- ☑ jr5tc | Jumpring 5mm Text Circle (Retiring)
- ☑ jr6tc | Jumpring 6mm Text Circle (Retiring)
- ☑ **jr7pc | Jumpring 7mm Patterned Circle *NEW***
- ☑ **jr9pc | Jumpring 9mm Patterned Circle *NEW***
- ☑ jr9tc | Jumpring 9mm Text Circle (Retiring)
- ☑ jr12tc | Jumpring 12mm Text Circle
- ☑ jr6bc | Jumpring 6mm Bark Circle
- ☐ ~~jr12bc | Jumpring 12mm Bark Circle~~
- ☑ jr6to | Jumpring 6mm Text Oval
- ☑ jr9to | Jumpring 9mm Text Oval
- ☑ jrmr | Jumpring Mini Rope
- ☑ jrlr | Jumpring Large Rope
- ☑ jrgr | Jumpring Grande Rope
- ☑ jr10hec | Jumpring 10mm Hamm Edge Cir
- ☑ jr12swc | Jumpring 12mm Square Wire Cir
- ☑ jr12swhc | Jumpring 12mm Sq Wire Hamm Cir



NUNN DESIGN JUMP RING CHEAT SHEET

BALL CHAIN

bc-cb • bc-gb • bc-sb • bc-ssb

Nunn Design **Ball Chain** has a base metal of steel and is plated using copper, 24k gold, or .999 fine silver for a lasting finish. Ball chain is sold in 12.5' increments. In order to finish this chain you will use a Nunn Design **Ball Chain Crimp Connector** (shown in chain examples below) or our regular **Ball Chain Connector**.

Base: Plated Steel
Length: 12.5 feet (in a zip bag)
OD: 2.4 mm ball

BALL CHAIN CRIMP CONNECTOR

bccc-cb • bccc-gb • bccc-sb • bccc-ssb

Base: Plated Brass
OD: 7.3 x 3.7 x 3.3mm, ID: Fits 1.2mm, 1.8mm, 2.4mm ball and bead chain (bc, bcs, fbc, fbcf, s2bc), Hole Size: 2mm

BALL CHAIN CONNECTOR

bcc-cb • bcc-gb • bcc-sb • bcc-ssb

Base: Plated Steel
OD: 9.2 x 3.3 x 3.3mm, ID: fits 1.8 to 2.4mm ball, This item does not work with Faceted Bead Chain Fine

jrc-b • jrg-b
jrs-b • jrss-b

jrst-cb • jrst-gb
jrst-sb • jrst-ssb

ljrc-b • ljrg-b
ljrs-b • ljrss-b

jrgc-cb • jrgc-gb
jrgc-sb • jrgc-ssb

jr5tc-cb • jr5tc-gb
jr5tc-sb • jr5tc-ssb

jr6tc-cb • jr6tc-gb
jr6tc-sb • jr6tc-ssb

jr9tc-cb • jr9tc-gb
jr9tc-sb • jr9tc-ssb

jr12tc-cb • jr12tc-gb
jr12tc-sb • jr12tc-ssb

jr6bc-cb • jr6bc-gb
jr6bc-sb • jr6bc-ssb

jr6to-cb • jr6to-gb
jr6to-sb • jr6to-ssb

jr9to-cb • jr9to-gb
jr9to-sb • jr9to-ssb

jrmr-cb • jrmr-gb
jrmr-sb • jrmr-ssb

jrlr-cb • jrlr-gb
jrlr-sb • jrlr-ssb

jrgr-cb • jrgr-gb
jrgr-sb • jrgr-ssb

jr10hec-cb • jr10hec-gb
jr10hec-sb • jr10hec-ssb

jr12swc-cb • jr12swc-gb
jr12swc-sb • jr12swc-ssb

jr12swhc-cb • jr12swhc-gb
jr12swhc-sb • jr12swhc-ssb

JUMPRINGS THAT FIT

- ☑ jrs-b | Jumpring Small
- ☑ jrst | Jumpring Small Thick
- ☑ ljrs-b | Large Jumpring
- ☑ jrgc | Jumpring Grande Circle
- ☑ **jr5pc | Jumpring 5mm Patterned Circle *NEW***
- ☑ jr5tc | Jumpring 5mm Text Circle (Retiring)
- ☑ jr6tc | Jumpring 6mm Text Circle (Retiring)
- ☑ **jr7pc | Jumpring 7mm Patterned Circle *NEW***
- ☑ **jr9pc | Jumpring 9mm Patterned Circle *NEW***
- ☑ jr9tc | Jumpring 9mm Text Circle (Retiring)
- ☑ jr12tc | Jumpring 12mm Text Circle
- ☑ jr6bc | Jumpring 6mm Bark Circle
- ☐ ~~jr12bc | Jumpring 12mm Bark Circle~~
- ☑ jr6to | Jumpring 6mm Text Oval
- ☑ jr9to | Jumpring 9mm Text Oval
- ☑ jrmr | Jumpring Mini Rope
- ☑ jrlr | Jumpring Large Rope
- ☑ jrgr | Jumpring Grande Rope
- ☑ jr10hec | Jumpring 10mm Hamm Edge Cir
- ☑ jr12swc | Jumpring 12mm Square Wire Cir
- ☑ jr12swhc | Jumpring 12mm Sq Wire Hamm Cir


jr5pc-cb • jr5pc-gb
jr5pc-sb • jr5pc-ssb


jr7pc-cb • jr7pc-gb
jr7pc-sb • jr7pc-ssb


jr9pc-cb • jr9pc-gb
jr9pc-sb • jr9pc-ssb

NUNN DESIGN JUMP RING CHEAT SHEET

BALL CHAIN SMALL

bcs-cb • bcs-gb • bcs-sb • bcs-ssb

Nunn Design **Ball Chain Small** has a base metal of steel and is plated using copper, 24k gold, or .999 fine silver for a lasting finish. Ball Chain Small uses the Nunn Design **Ball Chain Crimp Connector** or our regular **Ball Chain Connector** for finishing.

Base: Plated Steel
Length: 12.5 feet (in a zip bag)
OD: 1.8 mm ball

BALL CHAIN CRIMP CONNECTOR

bccc-cb • bccc-gb • bccc-sb • bccc-ssb

Base: Plated Brass
OD: 7.3 x 3.7 x 3.3mm, ID: Fits 1.2mm, 1.8mm, 2.4mm ball and bead chain (bc, bcs, fbc, fbcf, s2bc), Hole Size: 2mm

BALL CHAIN CONNECTOR

bcc-cb • bcc-gb • bcc-sb • bcc-ssb

Base: Plated Steel
OD: 9.2 x 3.3 x 3.3mm, ID: fits 1.8 to 2.4mm ball, This item does not work with Faceted Bead Chain Fine

JUMPRINGS THAT FIT

- ☑ jrs-b | Jumpring Small
- ☑ jrst | Jumpring Small Thick
- ☑ ljrs-b | Large Jumpring
- ☑ jrgc | Jumpring Grande Circle
- ☑ **jr5pc | Jumpring 5mm Patterned Circle *NEW***
- ☑ jr5tc | Jumpring 5mm Text Circle (Retiring)
- ☑ jr6tc | Jumpring 6mm Text Circle (Retiring)
- ☑ **jr7pc | Jumpring 7mm Patterned Circle *NEW***
- ☑ **jr9pc | Jumpring 9mm Patterned Circle *NEW***
- ☑ jr9tc | Jumpring 9mm Text Circle (Retiring)
- ☑ jr12tc | Jumpring 12mm Text Circle
- ☑ jr6bc | Jumpring 6mm Bark Circle
- ☐ ~~jr12bc | Jumpring 12mm Bark Circle~~
- ☑ jr6to | Jumpring 6mm Text Oval
- ☑ jr9to | Jumpring 9mm Text Oval
- ☑ jrmr | Jumpring Mini Rope
- ☑ jrlr | Jumpring Large Rope
- ☑ jrgr | Jumpring Grande Rope
- ☑ jr10hec | Jumpring 10mm Hamm Edge Cir
- ☑ jr12swc | Jumpring 12mm Square Wire Cir
- ☑ jr12swhc | Jumpring 12mm Sq Wire Hamm Cir

NUNN DESIGN JUMP RING CHEAT SHEET

FACETED BEAD CHAIN

fbc-cb • fbc-gb • fbc-sb • fbc-ssb

Faceted Bead Chain is also a Nunn Design top seller. This chain is brass base and plated with copper, 24k gold or .999 fine silver. The balls have a faceted cut which catches the light in a sparkly fashion. This chain is sold in a 25' spool and uses the the Nunn Design **Crimp Connectors** to finish.

Base: Plated Brass
Length: 12.5 feet (in a zip bag)
OD: 2mm beads

BALL CHAIN CRIMP CONNECTOR

bccc-cb • bccc-gb • bccc-sb • bccc-ssb

Base: Plated Brass
OD: 7.3 x 3.7 x 3.3mm, ID: Fits 1.2mm to 2.4mm ball and bead chain (bc, bcs, fbc, fbcf, s2bc), Hole Size: 2mm

jrc-b • jrg-b
jrs-b • jrss-b

jrst-cb • jrst-gb
jrst-sb • jrst-ssb

ljrc-b • ljrg-b
ljrs-b • ljrss-b

jrgc-cb • jrgc-gb
jrgc-sb • jrgc-ssb

jr5tc-cb • jr5tc-gb
jr5tc-sb • jr5tc-ssb

jr6tc-cb • jr6tc-gb
jr6tc-sb • jr6tc-ssb

jr9tc-cb • jr9tc-gb
jr9tc-sb • jr9tc-ssb

jr12tc-cb • jr12tc-gb
jr12tc-sb • jr12tc-ssb

jr6bc-cb • jr6bc-gb
jr6bc-sb • jr6bc-ssb

jr6to-cb • jr6to-gb
jr6to-sb • jr6to-ssb

jr9to-cb • jr9to-gb
jr9to-sb • jr9to-ssb

jrmr-cb • jrmr-gb
jrmr-sb • jrmr-ssb

jrlr-cb • jrlr-gb
jrlr-sb • jrlr-ssb

jrgr-cb • jrgr-gb
jrgr-sb • jrgr-ssb

jr10hec-cb • jr10hec-gb
jr10hec-sb • jr10hec-ssb

jr12swc-cb • jr12swc-gb
jr12swc-sb • jr12swc-ssb

jr12swhc-cb • jr12swhc-gb
jr12swhc-sb • jr12swhc-ssb

JUMPRINGS THAT FIT

- ☑ jrs-b | Jumpring Small
- ☑ jrst | Jumpring Small Thick
- ☑ ljrs-b | Large Jumpring
- ☑ jrgc | Jumpring Grande Circle
- ☑ **jr5pc | Jumpring 5mm Patterned Circle *NEW***
- ☑ jr5tc | Jumpring 5mm Text Circle (Retiring)
- ☑ jr6tc | Jumpring 6mm Text Circle (Retiring)
- ☑ **jr7pc | Jumpring 7mm Patterned Circle *NEW***
- ☑ **jr9pc | Jumpring 9mm Patterned Circle *NEW***
- ☑ jr9tc | Jumpring 9mm Text Circle (Retiring)
- ☑ jr12tc | Jumpring 12mm Text Circle
- ☑ jr6bc | Jumpring 6mm Bark Circle
- ☐ ~~jr12bc | Jumpring 12mm Bark Circle~~
- ☑ jr6to | Jumpring 6mm Text Oval
- ☑ jr9to | Jumpring 9mm Text Oval
- ☑ jrmr | Jumpring Mini Rope
- ☑ jrlr | Jumpring Large Rope
- ☑ jrgr | Jumpring Grande Rope
- ☑ jr10hec | Jumpring 10mm Hamm Edge Cir
- ☑ jr12swc | Jumpring 12mm Square Wire Cir
- ☑ jr12swhc | Jumpring 12mm Sq Wire Hamm Cir

jr5pc-cb • jr5pc-gb
jr5pc-sb • jr5pc-ssb

jr7pc-cb • jr7pc-gb
jr7pc-sb • jr7pc-ssb

jr9pc-cb • jr9pc-gb
jr9pc-sb • jr9pc-ssb

NUNN DESIGN JUMP RING CHEAT SHEET

FACETED BEAD CHAIN FINE

fbcf-cb • fbcf-gb • fbcf-sb • fbcf-ssb

Faceted Bead Chain Small is brass base and plated with copper, 24k gold or .999 fine silver. The balls have a faceted cut which catches the light in a sparkly fashion. This chain is sold in a 25' spool and uses the the Nunn Design **Crimp Connectors** to finish.

FACETED BEAD CHAIN FINE
Plated Brass
1.2mm beads

BALL CHAIN CRIMP CONNECTOR
bccc-cb • bccc-gb • bccc-sb • bccc-ssb
Base: Plated Brass
OD: 7.3 x 3.7 x 3.3mm, ID: Fits 1.2mm to 2.4mm ball and bead chain (bc, bcs, fbc, fbcf, s2bc), Hole Size: 2mm

jrc-b • jrg-b
jrs-b • jrss-b

jrst-cb • jrst-gb
jrst-sb • jrst-ssb

ljrc-b • ljrg-b
ljrs-b • ljrss-b

jrgc-cb • jrgc-gb
jrgc-sb • jrgc-ssb

jr5tc-cb • jr5tc-gb
jr5tc-sb • jr5tc-ssb

jr6tc-cb • jr6tc-gb
jr6tc-sb • jr6tc-ssb

jr9tc-cb • jr9tc-gb
jr9tc-sb • jr9tc-ssb

jr12tc-cb • jr12tc-gb
jr12tc-sb • jr12tc-ssb

jr6bc-cb • jr6bc-gb
jr6bc-sb • jr6bc-ssb

jr6to-cb • jr6to-gb
jr6to-sb • jr6to-ssb

jr9to-cb • jr9to-gb
jr9to-sb • jr9to-ssb

jrmr-cb • jrmr-gb
jrmr-sb • jrmr-ssb

jrlr-cb • jrlr-gb
jrlr-sb • jrlr-ssb

jrgr-cb • jrgr-gb
jrgr-sb • jrgr-ssb

jr10hec-cb • jr10hec-gb
jr10hec-sb • jr10hec-ssb

jr12swc-cb • jr12swc-gb
jr12swc-sb • jr12swc-ssb

jr12swhc-cb • jr12swhc-gb
jr12swhc-sb • jr12swhc-ssb

JUMPRINGS THAT FIT

- ☑ jrs-b | Jumpring Small
- ☑ jrst | Jumpring Small Thick
- ☑ ljrs-b | Large Jumpring
- ☑ jrgc | Jumpring Grande Circle
- ☑ **jr5pc | Jumpring 5mm Patterned Circle *NEW***
- ☑ jr5tc | Jumpring 5mm Text Circle (Retiring)
- ☑ jr6tc | Jumpring 6mm Text Circle (Retiring)
- ☑ **jr7pc | Jumpring 7mm Patterned Circle *NEW***
- ☑ **jr9pc | Jumpring 9mm Patterned Circle *NEW***
- ☑ jr9tc | Jumpring 9mm Text Circle (Retiring)
- ☑ jr12tc | Jumpring 12mm Text Circle
- ☑ jr6bc | Jumpring 6mm Bark Circle
- ☐ ~~jr12bc | Jumpring 12mm Bark Circle~~
- ☑ jr6to | Jumpring 6mm Text Oval
- ☑ jr9to | Jumpring 9mm Text Oval
- ☑ jrmr | Jumpring Mini Rope
- ☑ jrlr | Jumpring Large Rope
- ☑ jrgr | Jumpring Grande Rope
- ☑ jr10hec | Jumpring 10mm Hamm Edge Cir
- ☑ jr12swc | Jumpring 12mm Square Wire Cir
- ☑ jr12swhc | Jumpring 12mm Sq Wire Hamm Cir

jr5pc-cb • jr5pc-gb
jr5pc-sb • jr5pc-ssb

jr7pc-cb • jr7pc-gb
jr7pc-sb • jr7pc-ssb

jr9pc-cb • jr9pc-gb
jr9pc-sb • jr9pc-ssb