# MATERIAL SAFETY DATA SHEET

#### FOR COATINGS, RESINS, AND RELATED MATERIALS

This MSDS sheet meets the requirements of the Federal OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### **SECTION I**

Manufacturers Name: Date of prep:

Street Address: City, State, Zip:

Emergency Phone No: Chemical Family Information Phone No:

Manufacturers Code Name: Chemical Name

### SECTION II HAZARDOUS INGREDIENTS

Ingredient % (optional) CAS Number OSHA PEL mg/m³ ACGIH TLV-TWA mg/m³

EPOXY RESIN 90-100 025085-99-8 NOT ESTABLISHED NOT ESTABLISHED

CONTAINS NO HAZARDOUS CHEMICALS IN EXCESS IF 1% AS INDICATED BY SUPPLIER'S MATERIAL SAFETY DATA SHEETS AND OSHA'S HAZARDOUS CHEMICALS STANDARDS

### SECTION III PHYSICAL DATA

Boiling Point (DEG F): N/A Specific Gravity (Water=1): 1.12
Vapor Pressure (mm Hg): N/A Percent Volatile by Volume: 0.0
Vapor Density (Air=1): N/A Evaporation Rate Vs Ether: N/A

Solubility in Water:
Appearance and Order:

NO
BLUE TINTED LIQUID, SWEET CHARACTERISTIC ODOR

# SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): 485 Deg F (PMCC) Flammable Limits: Not Determined

Extinguishing Media: Use Water Spray, Dry Chemical, Foam or Carbon Dioxide

Special Fire Fighting Procedures: Treat As A Class B Fire

Unusual Fire and Explosion Hazards: None

### SECTION V HEALTH HAZARD DATA

Effects of Overexposure:

INGESTION: LOW ACUTE ORAL TOXICITY; LD50 (RAT) GREATER THAN 2000 MG/KG.

EYE CONTACT: MINOR TRANSIENT IRRITATION. NO CORNEAL INJURY LIKELY.

SKIN CONTACT: ONLY MINOR IRRITATION. MAY BE A SKIN SENSITIZER.

SKIN ABSORPTION: NOT LIKELY TO BE ABSORBED THROUGH SKIN IN TOXIC AMOUNTS.

**INHALATION**: NOT CONSIDERED A PROBLEM UNLESS HEATED TO HIGH TEMPERATURE.

Emergency First Aid Procedure:

SKIN CONTACT: WASH WITH SOAP AND WATER; WASH CLOTHES BEFORE REUSE.

EYE CONTACT: IRRIGATE WITH WATER FOR FIVE MINUTES; CONSULT PHYSICIAN.

INHALATION: REMOVE TO FRESH AIR IF EFFECTS OCCUR; CONSULT PHYSICIAN.

**INGESTION:** INDUCE VOMITING IF LARGE AMOUNTS ARE INGESTED.

MSDS EPOXY #1011 1

# SECTION VI REACTIVITY DATA

Stability: STABLE

Incompatibility (Materials to Avoid):

STRONG ACIDS, AMINES, MERCAPTONS, BASES (IN UNCONTROLLED AMOUNTS)

**Hazardous Decomposition Products:** 

THERMAL DECOMPOSITION MAY PRODUCE CARBON MONOXIDE AND/OR CARBON DIOXIDE.

Hazardous Polymerization: WILL NOT OCCUR.

Conditions to Avoid: STRONG ACIDS, AMINES, MERCAPTONS, BASES (IN UNCONTROLLABLE AMOUNTS)

### SECTION VII SPILL OR LEAK PROCEDURE

Steps to be taken if Release or Spilled: ABSORB WITH INERT MATERIAL (SAND, VERMICULITE, ETC.), SWEEP OR SCOOP UP AND PUT IN DISPOSAL CONTAINER. FLUSH AREA IMMEDIATELY WITH PLENTY OF WATER; PREVENT WASHINGS FROM ENTERING WATERWAYS.

Waste Disposal Method: INCINERATE IN FURNACE OR BURY IN LANDFILL IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS.

### SECTION VIII SPECIAL PROTECTION INFORMATION

Respiratory Protection: NIOSH APPROVED ORGANIC VAPOR RESPIRATORS ARE ONLY REQUIRED WHEN VENTILATION IS INADEQUATE. NIOSH APPROVED AIR-LINE RESPIRATORS WITH AUXILIARY ESCAPE AIR TANKS OR SELF-CONTAINED BREATHING APPARATUS SHOULD BE USED IN CONFINED SPACES.

Ventilation: LOCAL MECHANICAL EXHAUST.

Protective Gloves: IMPERVIOUS GLOVES.

Eye Protection: SAFETY GLASSES WITH SIDE SHIELDS.

Other Protective Equipment: SAFETY SHOWER AND EYE BATH SHOULD BE PROVIDED. USE COVERALLS OR APRON TO PROTECT AGAINST SKIN AND CLOTHING CONTAMINATION.

## SECTION IX SPECIAL PRECAUTIONS

Precautions to be Taken in Storage and Handling: PRACTICE REASONABLE CARE AND CLEANLINESS.

Other Precautions: AVOID GROSS CONTAMINATION OF SKIN. WASH SKIN WITH PLENTY OF SOAP AND WATER. USE WITH ADEQUATE VENTILATION. AVOID BREATHING VAPORS.

N/A INDICATE THAT THIS SPECIFICATION DOES NOT APPLY TO THIS PRODUCT

MSDS EPOXY #1011 2

# MATERIAL SAFETY DATA SHEET

FOR COATINGS, RESINS, AND RELATED MATERIALS

This MSDS sheet meets the requirements of the Federal OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### SECTION I

Manufacturers Name: Date of prep:

Street Address: City, State, Zip:

Emergency Phone No: Chemical Family
Information Phone No:
Manufacturers Code Name: Chemical Name:

#### SECTION II HAZARDOUS INGREDIENTS

Ingredient	% (optional)	CAS Number	OSHA PEL mg/m <sup>3</sup>	ACGIH TLV-TWA mg/m <sup>3</sup>
ALIPHATIC AMINE	30-50	9046-10-0	NOT ESTABLISHED	NOT ESTABLISHED
4-(4,6-DIMETHYLHEPTAN-2-yl) 50-65 PHENOL		25154-52-3	NOT ESTABLISHED	NOT ESTABLISHED

### SECTION III PHYSICAL DATA

Boiling Point (DEG F): >500 Deg F Specific Gravity (Water=1): .95
Vapor Pressure (mm Hg): N/A Percent Volatile by Volume: 0.0

Vapor Density (Air=1): N/A Evaporation Rate Vs Ether: LESS THEN Solubility in Water: YES

Appearance and Order: CLEAR SLIGHTLY AMBER LIQUID, AMONICAL ODOR

#### SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): 255 Deg F (PMCC) Flammable Limits: Not Determined

Extinguishing Media: Use Water Spray, Dry Chemical, Foam or Carbon Dioxide

Special Fire Fighting Procedures: Treat As A Class B Fire: Use Water To Cool Containers

Unusual Fire and Explosion Hazards: None

### SECTION V HEALTH HAZARD DATA

**Effects of Overexposure:** 

**INGESTION:** LOW ACUTE ORAL TOXICITY.

EYE CONTACT: EXTREMELY IRRITATING WITH POSSIBLE EYE INJURY.
SKIN CONTACT: OVEREXPOSURE COULD CAUSE BURNS OR BLISTERING.

SKIN ABSORPTION: NOT LIKELY TO BE ABSORBED THROUGH SKIN IN TOXIC AMOUNTS.

INHALATION: NOT CONSIDERED A PROBLEM UNLESS HEATED TO HIGH TEMPERATURE.

**Emergency First Aid Procedure:** 

SKIN CONTACT: WASH WITH SOAP AND WATER; WASH CLOTHES BEFORE REUSE.

EYE CONTACT: IRRIGATE WITH WATER FOR FIFTEEN MINUTES; CONSULT PHYSICIAN.

INHALATION:; REMOVE TO FRESH AIR IF EFFECTS OCCUR; CONSULT PHYSICIAN.

INGESTION: DO NOT INDUCE VOMITING: GIVE LARGE QUANTITIES OF WATER: GIVE ONE OUNCE VINEGAR IN ONE OUNCE WATER: CONSULT PHYSICIAN.

MSDS HARDENER AB-88 1

# SECTION VI REACTIVITY DATA

Stability: STABLE

Incompatibility (Materials to Avoid):

STRONG OXIDIZERS

**Hazardous Decomposition Products:** 

DECOMPOSITION MAY PRODUCE CARBON MONOXIDE AND/OR CARBON DIOXIDE.

Hazardous Polymerization: WILL NOT OCCUR. Conditions to Avoid: OXIDIZING MATERIALS.

#### SECTION VII SPILL OR LEAK PROCEDURE

Steps to be taken if Release or Spilled: ABSORB WITH INERT MATERIAL (SAND, VERMICULITE, ETC.), SWEEP OR SCOOP UP AND PUT IN DISPOSAL CONTAINER. FLUSH AREA IMMEDIATELY WITH PLENTY OF WATER; PREVENT WASHINGS FROM ENTERING WATERWAYS.

Waste Disposal Method: INCINERATE IN FURNACE OR BURY IN LANDFILL IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS.

# SECTION VIII SPECIAL PROTECTION INFORMATION

Respiratory Protection: NIOSH APPROVED ORGANIC VAPOR RESPIRATORS ARE ONLY REQUIRED WHEN VENTILATION IS INADEQUATE. NIOSH APPROVED AIR-LINE RESPIRATORS WITH AUXILIARY ESCAPE AIR TANKS OR SELF-CONTAINED BREATHING APPARATUS SHOULD BE USED IN CONFINED SPACES.

Ventilation: LOCAL MECHANICAL EXHAUST.

Protective Gloves: IMPERVIOUS GLOVES.

Eye Protection: SAFETY GLASSES WITH SIDE SHIELDS.

Other Protective Equipment: SAFETY SHOWER AND EYE BATH SHOULD BE PROVIDED. USE COVERALLS OR APRONTO PROTECT ACAINST SKIN AND CLOTHING CONTAMINATION.

TO PROTECT AGAINST SKIN AND CLOTHING CONTAMINATION.

### SECTION IX SPECIAL PRECAUTIONS

Precautions to be Taken in Storage and Handling: PRACTICE REASONABLE CARE AND CLEANLINESS.

**Other Precautions:** AVOID GROSS CONTAMINATION OF SKIN. WASH SKIN WITH PLENTY OF SOAP AND WATER. USE WITH ADEQUATE VENTILATION, AVOID BREATHING VAPORS.

N/A INDICATE THAT THIS SPECIFICATION DOES NOT APPLY TO THIS PRODUCT

MSDS HARDENER AB-88 2